



16A8 Matsushita 5 結



16A8 0% UL (Pentode Connection)
 50V/div 40mA/div 5Vstep
 Esg: 200V
 Ef: 16V If: 290mA

Date		2001/5/4
X	50	V/DIV
Y	40	mA/DIV
Eg1	5	Vstep
Esg	200	V
Ef	16	V
If	290	mA

16A8 Matsushita 20%UL




16A8 Matsushita
 20% UL
 50V/div 40mA/div 5Vstep
 Esg: 160V + 0.2Ep
 Ef: 16V If: 290mA

Date		2001/5/4
X	50	V/DIV
Y	40	mA/DIV
Eg1	5	Vstep
Esg	160+0.2Ep	V
Ef	16	V
If	290	mA

S g 電流は合成していない

16A8 Matsushita 45%UL




16A8 Matsushita
 45% UL
 50V/div 40mA/div 5Vstep
 Esg: 110V + 0.45Ep
 Ef: 16V If: 290mA

Date		2001/5/4
X	50	V/DIV
Y	40	mA/DIV
Eg1	5	Vstep
Esg	110+0.45Ep	V
Ef	16	V
If	290	mA

S g 電流は合成していない

16A8 Matsushita 80%UL

Date 2001/5/4




X	50 V/DIV
Y	40 mA/DIV
Eg1	5 Vstep
Esg	40+0.8Ep V
Ef	16 V
If	290 mA

S g 電流は合成していない

16A8 Matsushita 3 結

Date 2001/5/4



X	50 V/DIV
Y	40 mA/DIV
Eg1	5 Vstep
Esg	Pに接続 V
Ef	16 V
If	290 mA

S g 電流はPlate電流と合成